

Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

Establishment Name LA CATRINA MEXICAN KITCHEN	Telephone Number Est 757-287-2510 Own 757-287-2510	Date of Inspection 08/15/2022	ID#
Address 203 E ELM ST, NEW ALBANY IN 47150			
Owner SEÑOR IGUANA'S NEW ALBANY/JUAN SEGOVIANO	Purpose <u> </u> Routine <u> </u> Follow-up <u> X </u> Complaint <u> </u> Pre-Operational <u> </u> Temporary <u> </u> HACCP <u> </u> Other (list)	Follow Up	Released 08/25/2022
Owner's Address 3612 KERRY ANN WAY JEFFERSONVILLE, IN 47130-		Menu Type 1 <u> </u> 2 <u> </u> 3 <u> </u> 4 <u> X </u> 5 <u> </u>	
Person in Charge MAX SEGOVIANO			
Responsible Person's Email IGUANAS.JUAN@GMAIL.COM			
Certified Food Handler ERNESTO CHAVES			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
291		X		Observed expired quat test strips.	8/22/22
433		X		Observed mops drying in mop sink and mop buckets.	TODAY
443	X			Observed chlorine dishwasher registering disinfectant above 100ppm. There was a complaint registered with FCHD stating that 5 people that do not live in the same household became ill 12-24 hrs after eating at this establishment. I checked the food temps, date marks, sanitation levels. There is a very slight chance that the concentration of the disinfectant may have caused this.	8/22/22

Summary of Violations C 1 NC 2 R 0

Received by (name and title printed):

MAX SEGOVIANO

Inspected by (name and title printed):

Christa Manus EHS

Received by (signature):

Inspected by (signature):



cc:

cc:

cc: